			17.14E NOE
SI No.		Name of the Institutions	Page No
1_	Angul		
		CHC Bantala	08-09
		PHC Purunagarh	10-11
		DHH Angul	12-14
		PHC Balramprasad	14-16
22	Balangir		
		DHH Balangir	17-19
		CHC Loisingha	20-22
		PHC Malmuda	23-24
		PHC Mahimuda	25-26
3	Balasore		
		PHC Bahunga	27-28
		PHC Bedipur	29-30
		DHH Balasore	31-32
		CHC Remuna	33-34
4	Bargarh	100	00 04
	g	PHC Satlama	35-36
		CHC, Barpali	37-38
		DHH Bargarh	39-40
		PHC Lakhanpur	41
		CHC Bhukta	42
		CHC, Bhatli	43
		Photographs	44-49
5	Bhadrak	1 Hotographs	14-45
	Bridarak	DHH Bhadrak	50
		CHC Barpada	51
		PHC Bonth	52
		110 501111	J2
		PHC Shyam Sunderpur, Uper Dumuka	53
6	Boudh	i. 113 Onjam Sanderpar, Oper Damaka	- 33
	204411	DHH Boudh	54-57
		CHC Manamunda	58-61
		PHC Baghiapada	62-64
		PHC Charichhak	
			65-67
7	Cuttack	PHC, Khuntigora	68-71
	Cuttack	DHC Paranga	74.70
		PHC Baranga	71-73
A vao:	Hatlad	PHC Mangrajpur	74
		CHC Tangi	75
	00/	DHH Cuttack	76

Section Officer Health & FW Deptt.

		-05-	
8	Deogarh		
		DHH Deogarh	77-81
		PHC Palsama	82-85
		PHC Kandhal	86-89
		CHC Tileibeni	90-93
_ 9_	Dhenkanal		-
		DHH, Dhenkanal	94-97
		CHC Beltikri	98-100
		PHC Sankarpur	101-103
		PHC Dhirapatana	104-106
10	Gajapati		
		DHH Parlakhemundi, Gajapati	107-108
		PHC Bhagusola	109-110
		CHC Gurundi	111-112
		PHC Garabhanda	113
11	Ganjam		
			
		City Hospital, Berhampur, Ganjam	114-146
		CHC Keluapalli	147-161
		PHC Narendrapur	162-176
		PHC Sundarpur	177-183
		PHC(N), Ganjam	184-197
12	Jagatsinghpur		
		DHH Jagatsinghpur	198-199
		CHC Borikina	200-201
		PHC Panchapalli	202-203
		PHC Machhagaon	204-207
13	Jajpur		
		CHC Badachana	208
		PHC Sankhachilla	209
		DHH Jajpur	210
		PHC Ahiyas	211
		photos	212-214
14	Jharsuguda		
		DHH Jharsuguda	215-216
		PHC Arda	217
		PHC Laikera	218
		CHC Brajrajnagar	219-220
15	Kalahandi		
15	Maiariariui		
	Naiananui	DHH Kalahandi	221-224
	Attentario	DHH Kalahandi PHC Deypur	221-224 225-227

Section Officer Regith & FW Depti.

		-06	
16	Kandhamal		
		CHC Sundurukumpa	230-232
		PHC Katringia	233-235
		CHC Gumagarh	236-238
		DHH Kandhamal	239-24
17	-Kendrapada-		-
		CHC Aul	242
		PHC Chandanpur	243
		PHC Kurutunga	244
		DHH Kendrapara	245-248
18	Keonjhar		
		CHC Telkoi	249-251
		DHH Keonjhar	252-255
		PHC Guali	256
		CHC Barbil	257-260
		PHC Khireitangiri	261-263
19	Khurda		
		Capital Hospital Bhubaneswar	264-267
		PHC Benupur	268-269
		CHC Balakati	270-271
		UPHC Kalpana	272-273
		DHH, Khurda	274-276
20	Koraput		
		CHC, Laxmipur	277-278
		PHC Kakirigumma	279-280
		PHC Dumuriput	281-282
		CHC Dasamantpur	283-284
		DHH Jeypore, Koraput	285-286
21	Malkangiri		
		CHC Kalimela	287-288
		DHH Malkangiri	289-290
		CHC, Pandripani	291-292
		PHC Biralaxmipur	293-294
		PHC Matapaka	295-296
22	Mayurbhanj		
		DHH Baripada	297-299
		CHC Rasagobindapur	300-301
		PHC Pinchhabania	302-303
		PHC Moroda	304-305
23	Nabarangpur		
		DHH Nabarangpur	306-307
эсору	Attestad	CHC Tentulikhunti	308-309
6 -4'	on Office	PHC Asanga	310-311

Section Offico Health & FW Depili,

		PHC Kodinga	312-313
		CHC, Koshagumuda	314-315
24	Nayagarh		
		CHC Badapandusara	316-317
		PHC Sunamuhi	318-319
	_	- PHC-Balugaon -	320-321
		DHH Nayagarh	322-331
25	Nuapada		
		PHC Dharambandha	332-333
		CHC Khariar Road	334-335
		DHH Nuapada	336-337
		PHC Darlimunda	338-339
26	Puri		
		DHH Puri	340-341
		CHC Rebuna Nuagaon	342
		CHC Chalisbatia	343
		PHC Dobandha	344-345
27	Rayagada		
		Tour Report	346-347
		PHC Malligaon	348
		DHH Rayagada	349
		PHC Kumbhikota	350
		CHC Kashipur	351
28	Sambalpur		
		DHH Sambalpur	352-354
		PHC Badmal	355-357
		SDH Kuchinda	358-359
		PHC Dhama	360-361
		CHC, Naktideuli	362-363
29	Subarnapur/ S		
•		DHH Subarnapur	364-365
		CHC Naikenpali	366-367
		PHC Sahajpita, Hardakhol	368-369
		PHC Subalaya	370-371
		SDH, Birmaharajpur	372-373
30	Sundergarh		
		CHC Hemgir	374-375
		PHC Bilaimunda	376-377
onaby i	-ttested	PHC Jambahal	378
		DHH Sundargarh	379-380
	80	CHC, Sargipali	381
Section	Officer	CHC, Kutra	382
10:1111 8	Pod Britt	PHC, Kundurukela	383

Pho

Name of the District: Angul

Name of the Health Facility: Community Health Center, Bantala CHC

1. Date & Time of Visit: 20.08.2022 At: 10.30 A.M

2. Presence of Medical Staff: Seven Medical Officers were present at the time of visit.

Doctor	Dr. Ghanashyam Behera, BPHO & M.O I/C (Regular) Dr. Soumya Ranjan Nanda (Regular) Dr. Suvendu Pradhan (Contractual) Dr. Ayusha Agrawal (Contractual) Dr. Monalisa Garnaik (Deployed)
"cogs	Dr. Krishna Priyadarshini (Contractual) Dr. Adyasha Pradhan (Dentist)
Nurses	As per roaster duty, 3 nurses were present. Lipika Sahoo, Nursing Officer was on Night duty.
Ward Staff	6 ward staff were present. 2 LTs, 2 Pharmacists & BMW handler were present. The Hospital has 8 Sweeper positions (out of which 2-Permanent & 6-Outsourcing)

3. Conditions of Facilities:

Infrastructure	Major hospital infrastructure includes: Newly constructed		
ļ	Administrative Building, Labour room, Maternity ward, IPD,		
	OPD, OT & ILR	are in place.	
	A YUSH OPD is also available.		
	Covid ward & Ot	oservation room are available.	
	New OPD & IPD	building completed which are to be handed	
	over to CHC soon.		
Power	Alternate power s	source like 6 Inverters & 1 Functional DG set	
		le. Different units like dressing room are	
	connected with back up power supply.		
Sanitation	Cleanliness	On the visited day, IPD, OPD and other	
,		areas of CHC were found clean.	
	Toilet facility	Available & Found clean	
	Availability of	7 overhead tanks are available and tank	
	water	cleaning as per norm is conducted within	
		last 6 months.	

4. Adequacy of Stock: CHC level sub store & DDC are available. Drugs Medicine Out of 87 EDL drugs, 79 drugs are available, CHC is managing the short supply of few drugs by using the alternative drugs with same composition. Section Officer Health & FW Depit. Homepathic medicines are available in AYUSH OPD.

RBSK Consultant, NHM, Odisha

Ms. Sumitra Senapati,

	Some required seasonal medicines are not available and indent is submitted by the CHC.
Equipment	2 OT tables, Baby warmer, anthropometric equipment like Baby warmer, Suction machine and Nebulizer, etc, 10 Oxygen cylinders are also available.
Ambulance	102 & 108 ambulance are stationed in the CHC premises. No separate Ambulance is available in the CHC.

5. Readiness / Emergency:

Telephone	Is available. CUG connection for CHC staff.
Internet	OSWAN connection / Dungle available for internet connection.

6. Accessibility: Good

- Different units & wings are well connected through Cement Road.
- Daily OPD load is 60-70. IPD Load in July was 377 and in August (Till date) it was 166. Out of 166 IPD cases in August, 7 cases are referred to higher facility.
- Monthly delivery load of CHC is 70-80.

7. Miscellaneous Remarks:

- Parking area is available which is to be earmarked with Parking signage.
- No Central registration is done for patients and doctors are maintaining records.
- Different tests like HIV, Malaria, TLC, HB, DC, BT, CT, Sugar Covid test, Urine & stool examination, syphilis & Blood grouping, etc are conducted at CHC Laboratory.
- Two Medical Officer Quarter and 4 attendant (Class Iv) quarter are available.
- All drugs including drugs mostly required during seasonal periods should be maintained at CHC level to minimise Out of Pocket expenditure of patients availing services at CHC.
- Demarcated BMW area is available at CHC for disposal and Waste management. However it was suggested to maintain the BMW area as per standard norm.
- One Pvt. Medicine shop is operating within the CHC premises and the CHC boundary wall of that side has not been completely covered.
- The CHC sub store is catering DDC of CHC, 27 SCs and 13 CHOs. It is suggested to arrange adequate space for proper storage of the drugs at CHC Sub store.
- The New Born Screening Kit supplied to CHC after training of service providers are to be used at Labour room for proper screening of New Borns prior to their discharge.
- As the full time Dentist is available, Dental Chair & other dental equipments are to be indented to OSMCL by district.
- The ongoing construction work for covering of drains are to be completed.

Photocopy Attacker

RBSK Consultant, NHM, Odisha

Dr. Pradeep Padhi,

Ms. Sumitła Senapa

Name of the District: Angul

Name of the Health Facility: Purunagarh PHC (New)

1. Date & Time of Visit: 20:08.2022 At: 12 Noon

2. Presence of Medical Staff: Ayush M.O was present during the time of visit.

Doctor	Dr. Pallavi Behera. The Medical Officer was deputed on training to SCB MC&H, Cuttack Dr. S.N. Sahoo, M.O, AYUSH was present
Nurses	Ms. Santoshini Pradhan, Nursing Officer & Ms. Sujata Moharana, MPH were found present.
Ward Staff	Staff present: Sanjay Kumar Pradhan, Pharmacist Jitendra Dehury, LT Rabi Mukhi, Sweeper Jiban Behera, Security Guard

3. Conditions of Facilities: PHC runs in the existing OPD building.

Infrastructure	OPD building, Maternity Ward & ILR point available. OPD building & Pre Fabricated structure building have een completed which are yet to be handed over. Yoga Utility room under construction.		
Power	Inverter facility available in the Facility.		
Sanitation	Cleanliness Toilet facility	Cleanliness Maintained Staff toilet Available, 1 attached Patient toilet available at Maternity ward. 2 Patient toilet situated backside of Maternity ward which is to be connected with water facility.	
	Availability of water	Overhead tanks with bore well facility available.	

4. Adequacy of Stock:

Drugs	Drugs dispensed in the dispensary room.	
Medicine	78 drugs available.	
Equipment	Equipment available: BP, Stethoscope, Patient Monitor, Oxygen concentrator, Oxygen Cylinder, Glucometer, HB meter, Labour table. Seven tray with instrument.	
Ambulance	No	Photocopy Attact

RBSK Consultant, NHM, Odisha

Dr. Pradeep Padhi,

Ms. Sumitra Senapati,

5. Readincss / Emergency:

Telephone	No Landline available.
Internet	Jio Fi connection available and Bharat Net connection is applied.

- 6. Accessibility: Good accessibility.
- 7. Miscellaneous Remarks:
- Parking area outside the PHC has been identified in the Road. No Parking area is demarcated.
- Some old buildings in the PHC premises are declared unsafe & appropriate steps to be taken for its demolition.
- Per day average OPD load is 50-60. On visited date, 77 patients availed the treatment facility.
- No staff quarter is available.
- One ILR point is operational within the PHC. If possible, one Genset may be provision for smooth operation of ILR point and the PHC (N) activities.
- BMW authorization is there.
- · Advised to shift to new building immediately after handover of newly constructed buildings.
- Shredder machine for treatment of Waste material is available which can be functionalized after getting 3 phase connection by the PHC (N).
- LT working was on deployment from Bantala CHC. One Medical Officer quarter is required to be built for giving immediate service to the people.
- Drinking water facility is available in facility premises which is to be maintained regularly for the benefit of patients.

Photocopy Attacts

NHM, Odisha

Name of the District: Angul

Name of the Health Facility: District Headquarter Hospital, Angul

1. Date &-Time-of Visit: 20.08.2022 At: 2.30 P.M

2. Presence of Medical Staff:

Doctor	Doctors were present as per their Roaster duty chart. During visit to Labour room, Dr. Harapriya Jena, O&G specialist was present and other 2 doctors namely Dr. N. Nanda & Dr.S. Sahoo were present in the Causality. Besides, CDM& PHO, Angul & ADMO (Medical) were present during the visit.
Nurses	As per the Roaster duty, Nurses were present in the maternity ward, Labour room, Casualty, Surgery ward.
Ward Staff	As per Roaster duty, ward staff were present in the Labour room, Causality and Surgery ward. Total 60 staff are engaged including regular staff, under DMF & Nirmal.

3. Conditions of Facilities:

Infrastructure	Different Units/ Departments functioning in the DHH: Chest ward, Dialysis unit, CT scan, MRI center, Physiotherapy Unit, Day Care, Surgery Ward, Laboratory, Orthopaedics, DEIC, ICU building SNCU, Geriatric Ward, Eye Wing, Outdoor, Blood Bank, District Ware House and Sub Store.	
Power	2Auto start Generator, 3 normal generator and inverter facility is available at different units.	
Sanitation	Cleanliness	Maintained
1	Toilet facility	Available
	Availability of water	Available

4. Adequacy of Stock:

Drugs	Adequate drugs are available.	
Medicine	3 DDCs are functioning for dispensing drugs.	
Equipment	Different Morden equipment are available.	
Ambulance	5 Ambulances are available at DHH. 1 Mahapranayan Vehicle, 1 ALS ambulance &2 108 Ambulances are available,	Photocony Affector

5. Readiness / Emergency:

Telephone	Available
Internet	Available


RBSK Consultant, NHM, Odisha -Dr. Pradeep Padhi,

Ms. Sumitra Senapati,

6. Accessibility: Good

7. Miscellaneous Remarks:


- Biometric attendance has been introduced in the DHH.
- May I help you Help desk is available in 2 Places.
- Cleanliness is maintained all over.
- As the construction work is going on, some debris were found beside road. It has been directed to remove them from the road side,
- Spitting stains found inside the side wall of MC&H building. The said spitting
 was due to spitting out by patients from the window of the ward. CDM&PHO
 was suggested to colour those sides of the wall.
- CDM&PHO was asked to issue instructions for not allowing Oil & Soap in the new born area which is not allowed as per norm.
- To install more racks in the demarcated area for shoe keeping.
- Per month Institutional delivery load is 450 at DHH and Ceaserian section being done at facility which is approximately 150 per month.
- Emergency exit and Fire extinguisher were available.
- Regarding not matching of the drugs disbursed with the store at DDC, it is
 observed that disbursement of medicines is an ongoing process and on spot
 matching right away is not possible. The Medicine is disbursed through manual
 process not through computerised system. It is calculated and matched with the
 stock on weekly / Fortnightly basis, They maintain the stock through e –Niramay
 software in district warehouse,
- Regarding leakage found in the DLSA observation, it was happening at that time
 due to construction work. Now it is found that no more leakage is available.
- Doctor & Staff duty list were available at different units.
- Interacted with attendants of 3 IPD Patients (Mr. Prakash Nayak, Bolasinga, Angul/ Santanu Behera, Barkote, Deogarh/ Monita Behera, Sankarpur, Bantal) and noticed from their feedback that they had availed free diagnosis & Medicine services and not referred to outside.




To ascertain the gaps on DDC highlighted by DLAS, visiting of Crack team to DDC at DHH

RBSK Consultant, NHM, Odisha -Dr. Pradeep Padhi,

Ms. Sumita Senapati,



Crack team lead by Addl. Secy., H& FW Dept, observing corrective measures taken at DHH in compliance to observation of DLAS



Observing outdoor cleanliness & Crowd management with district Officers at DHH

Name of the District: Angul

Name of the Health Facility: Balaramprasad PHC (N)

1. Date & Time of Visit: 20.08.2022 At: 5 P.M

Photocopy Attactan

B

Section Officer Health & FW Deptt.

2. Presence of Medical Staff:

Doctor	Two doctors were available.
	Dr. Nilima Chakrobarty, Medical Officer
	Dr.Nibedita Bandopadhaya, M.O, AYUSH
Nurses	One Nursing Officer on deploymentOn Deployment
	One MPHW (F), One Pharmacist on deployment,
Ward Staff	One Ward attendant (Regular)
· · · · · · · · · · · · · · · · · · ·	One Sweeper (Regular), One Security & Sweeper under Nirmal

RBSK Consultant, NHM, Odisha Dr. Praceep Padhi;

Ms. Sumit a Senapati,

3. Conditions of Facilities :

Infrastructure	General OPD, AYUSH OPD, Drug dispensing room, Labour room, Zunk room and Health & Wellness Center for Yoga.	
Power	Inverter available	
Sanitation	Cleanliness	Maintained
	Toilet facility	Available
	Availability of water	Available

4. Adequacy of Stock:

Drugs	Proper DDC not available. Drug dispensing room available.s are available.
Medicine	Available
Equipment	One OT table, BP instrument. Baby warmer, Glucometer, suction machine, Oxygen Cylinder, Oxygen concentrator, Thermal Scanner.
Ambulance	No ambulance service available

5. Readiness / Emergency:

Telephone	Landline not available.
	CUG connection available
Internet	Bharat net applied
	Internet accessibility is poor in the area.

- 6. Accessibility: Narrow Roads are connecting different units.
- 7. Miscellaneous Remarks:
 - · Fixed day immunization facility not held in the facility.
 - Registration is done individually by doctors.
 - No LT position approved there. The tests done are only kit based.
 - Institutional delivery load is 2-3 Per month which is done by the Medical Officer,
 - Shredder machine for proper waste management is supplied which can be functionalized after 3 phase electric connection given to the facility.
 - For Storage of condemned material, dedicated junk room is available.
 - Quarter for Medical Officer is not available in the PHC (N).
 - Multi Utility room is constructed for different Health & Wellness activities. Yoga teacher may be engaged for initiating Yoga activities under this Health & Wellness Center.
 - Roof water soaking and cracks were found in the building. Funds may be allowed for repair & maintenance of building for betterment of people of that area.
- One Patient toilet is constructed in one side of the campus which is to connected with water facility for proper use. M.O was suggested to arrange the same.

Photocony Attester

RBSK Consultant, NHM, Odisha Dr. Pradeep Padhi.


Ms. Sumida Senapati,

Section Officer

As per Medical Officer, due to availability of nearby SCs and CHC, Balaramprasad

nearer to the facility, patient load and service demand is less in the facility.

- Now Cooler is available at Son Storke room and the said room can be used both as Sun Stroke room as well as Observation room.
- As per remarks of DLAS, Gas stove, gas cylinder & cooking utencils were found in the facility which was not observed during the visit. The sunstroke room where such items were noticed by DLAS was not found during the visit of Crack team. The Photograph of the said unit is attached,



Photocopy Attactor

Section Officer Health & FW Deptt.

NHM, Odisha

Dr. Pradeep Padhi,

Ms. Sumitra Senapati,

Name of the District- Balangir Name of the facility- DHH, Balangir

- 1. Date & time of visit- 08.08.2022 (Time: 3 PM- 6.30 PM)
- 2. Presence of Medical Staffs:-

Categories of staffs	Observation	
Doctors	 Visited the dialysis wing of DHH, Balangir. The doctor in charge of the Dialysis centre Dr. Shilpa Biswal was on duty at the centre. The team visited the Orthopedic centre and OPD. The doctors were on duty in all the departments during the visit. In orthopaedic centre one specialist (Dr. Badal Ekka, MS, Ortho) and one MBBS doctor (Dr. Bhisma Narayan Behera- JR) were attending patients at OPD as per the schedule. The team visited the Maternity & child health wing. The doctor (Dr. Krushnapriya Behera, Senior Resident, O&G) was on round during the visit to ANC ward. Further it was found that Dr. Ranjita Ghadei is The HOD, O&G deptt. in the DHH. 	
Nurses	The nurses were found on duty during the visit of the team. Video attached.	
Ward Staff	The ward attendants, cleaning staffs, security staffs were on duty during the visit.	

4. Conditions of the Facility:-

Infrastructure	The infrastructure of	the facility is reasonably good.
Power	STATE OF THE PROPERTY OF THE P	ower supply for the facility along et to ensure uninterrupted
Sanitation	Cleanliness	The Departments and Wards are found to be clean (Photos attached)
9	Toilet facilities	The Toilets are found to be clean. (Photos attached)
	Availability of water	Water is available in the facility along with dedicated drinking water sources also.

5. Adequacy of Stock:-

Categories	Observation	
Drugs/Medicine	212 types of drugs were available at the casualty, 150 types of drugs were available for MCH wing and 209 types of drugs were available for OPD as on 08.08.2022.	
Equipment	 The required equipment are available in the facility and one MRI machine has been provisioned for the hospital which is to be supplied through OSMCL. Each patient is provided with individual dialysis kit and the frequency of use is decided as per its usability. 	
Ambulance Photocony Attactar	Ambulance is available in the locality.	

lima

(-----

D

6. Readiness/Emergency:-

Telephone	Landline telephone is available (List of emergency telephone number attached) along with dedicated mobile numbers which have been provided to the administrative authorities and management staff.
Internet	Internet is available. Broadband connection by Minet Communication, Balangir is being used at the facility.

- 7. Accessibility:- The facility is centrally located, connecting roads & transportation facilities are very good in terms of accessibility.
- 8. Miscellaneous remark:- Patients are availing blood transfusion with/without replacement. For instance, 11 beneficiaries on 26.06.2022 and 10 beneficiaries on 06.08.2022 have been issued blood on emergency without replacement donation as per record.

32.00	50)(00:	FERRINGALINO)	payaro (27)
	nors:	1 - 215050 1. 1	Supplier (China) in the contract of the
	viets)	1 - 2666	September 1
2 2 2	Jorgen .	V 28991 1	TO THE PARTY OF TH
	A) (Obres)	The second second	programment of the s
	× (10:1)5552±(0)		A SACTAR OF STREET
	Date).	26.0	COTEDER MAY ON CHIEF THE
	#(B##2	Min (2)	
	inas/	Total Co.	SELE MEDICINE MAIL WATER - TO
	10 (52 (15)		STATE OF STREET, LINE ST
I = I v	dicess	Tre (23) for the	The Committee of the
	Henry.	Paragraph in	ASSETTANCES (VANO)
E LABOR	there	45,61	canaramanna)
	U605-2	Vervies .	a- DaYoseManianapagos
	ijsta-		Thursdeensopmany
	1825		(Corollanda)
			2000年中央中央的1000年2月2日 1000年2月1日 1000年100日
			LABORATORY, CAR
	in tec		AND DEARING A STATE OF THE STAT
		13577/5	PATIENT ATTENDANT RESTREET


List of emergency telephone numbers of DHH, Balangir


Photocopy Attactor

Section Officer Health & FW Oc. it.

J. Brown

Kood,





Orthopedic ward- DHH Balangir








Photo of the register maintained for blood given in emergency, DHH, Balangir





Cleanliness at DHH, Balangir

Photocony Attactad

Section Officer Health & FW Deptt

5. Readiness/Emergency:-


Telephone	Dedicated mobile numbers have been provided to the service providers. The list is attached herewith.	
Internet	Internet is available	

CUG nos of CHC, Luisinga

SI.No	Name of The Staff	Designation	Place of Working	Mobile No.
1	Dr. Sekharlal Padhan	МО	CHC Loisingha	9439987342
2 .	Ramesh Sahu	PHEO	CHC Loisingha	9777544126
3	Sudhanjali Mishra	ВРМ	CHC Loisingha	9777508103
4	Anil Soni	BAM	CHC Loisingha	9777508024
5	Alok Patel	вом	CHC Loisingha	9777508120
6	Monoj Tripathy	VBDTS	ÇHC Loisingha	8280403396
7	Asutosh Hota	STS	CHC Loisingha	8280404337
8	Purna Chandra Gauda	ıτ	CHC Loisingha	8280424147
9	Golapi Bhoi	LHV	CHC Loisingha	9439987349

6. Accessibility:- Well connected

7. Miscellaneous remark:-



Cleaniless & Security at CHC, Loisinga

Photocony Attactor

A.S.

Name of the facility- CHC, Loisinga

- 1. Date & time of visit- 08.08.2022 (9 AM- 10 AM)
- 2. Presence of Medical Staffs:-

Categories of staffs	Observation	
Doctors	There are 5 MBBS doctors in position alongwith 1 Dental surgeon and 1 Ayush doctor. Dr. Arabinda Kalsai (Paediatric specialist) and Dr. Pratima Soreng (LTRMO- Physician) were on duty as per the duty chart.	
Nurses There are 10 sanctioned post of Staff nurses and 8 h in the facility out of which 3 have been deputed to Hence 5 Staff nurses are in-position. As per the duty at work namely Smt. Pranati Sika and Smt. Rukmini N		
Ward Staff	The ward attendants, cleaning staffs, security staffs were on duty during the visit.	

3. Conditions of the Facility:-

Infrastructure	Funds for new building has been provisioned to the tune of Rs. 9.94 Cr.	
Power	There is dedicated power supply for the facility along with function DG set to ensure uninterrupted power supply. (Photo attached)	
Sanitation	Cleanliness	The facility was found to be reasonably clean.
	Toilet facilities	There are 3 toilet complex inside the hospital. One toilet complex consists of 3 latrines, 3 urinals and 1 bathroom. 1 is for male, 1 for female and 1 is for outpatients.
	Availability of water	Water is available in the facility along with dedicated drinking water sources also. However the grill near the drinking water facility requires replacement due to rusting and superintendent has been advised to take immediate action.

4. Adequacy of Stock:-


Categories	Observation 235 number of drugs & consumables were available as on 08.08.2022 out of which 189 types of drugs were available. The required equipment for diagnostics like microscopes, semi auto analyser, Trunaat machine are available. One microscope is available for general test and another is there for TB testing.	
Drugs/ Medicine		
Photocony Affactor		
Ambulance	24X7 ambulance service is available in the locality.	

din,

Section Officer Health & FW Deptt.








LT at work in lab at CHC, Luisinga

Staff Nurse at labour room at CHC, Luisinga



Doctor consultation in OPD at CHC, Loisinga



Generator at CHC, Loisinga

Photocony Attactor

M

Section follows program & 167 Exper

Ani.

her Di

Name of the facility- PHC, Malmunda

- 1. Date & time of visit- 08.08.2022 (10.30- 11 AM)
- 2. Presence of Medical Staffs:-

Categories of staffs	Observation
Doctors	There is one MBBS is in-position against the sanctioned post and one Ayush doctor is in-position as well. The MBBS doctor Dr. Harikrishna Bhue and the Ayush doctor Dr. Rashmita Pradhan were found on duty at the time of visit. The working hour of the PHC is 8 AM to 12 noon and 5 PM to 7PM.
Nurses	There is no Staff Nurse at the facility. However There is an HW(F) Smt. Soudamini Sahu is in position at the facility and she was found on duty.
Ward Staff	There is a pharmacist in-position and found on duty and one sweeper and one security guard are in-position in the facility.

3. Conditions of the Facility:-

Infrastructure	The PHC is functioning in its own building. However this is a day-care facility with 1 bed available for emergency.	
Power .	There is dedicated power supply for the facility alongwith functional inverter to ensure uninterrupted power supply.	
Sanitation	Cleanliness	The facility is found to be clean.
	Toilet facilities	There are separate toilet facilities for the patients and the hospital staffl.
	Availability of water	Water is available in the facility through borewell and overhead tank.

4. Adéquacy of Stock:-


Categories	Observation	
Drugs/Medicines	As per the latest report 49 types of drugs were indented on 03.08.2022 and 32 types of drugs were received on 7.08.2022. On the day of visit 46 types of drugs were available.	
Equipment	The equipment like BP machine, Hb check kit, Gluckcheck kit, RDK for Malaria & combo kit for HIV & Syphilis are available at the facility.	
Ambulance	24 X 7 ambulance service is available in the locality.	

lini

Luci Di.

Photocony Attactar






5. Readiness/Emergency:-


Telephone	Dedicated mobile numbers have been provided to the MO, MBBS and	
811 19	the Ayush doctor of the PHC.	1724
Internet -	Internet is available through wifi router.	2-9-11

- 6. Accessibility:- Well connected
- 7. Miscellaneous remark:-



Building of PHC, Malamunda

Inverter at PHC Malamunda



Toilet at PHC, Malamunda

fruis

Vicer 3.

Photocony Attacted

Section Officer Health & FW Deptt.



Name of the facility- PHC, Mahimunda

1. Date & time of visit- 08.08.2022 (11.30 AM- 12.30 AM)

2.-Presence of Medical Staffs:-

Categories of staffs	Observation	
Doctors	There is 1 MBBS doctor along with an Ayush doctor is in-position. T MBBS doctor Dr. Janmejaya Mishra and the Ayush doctor Archana Chand were found on duty at the time of visit. The work hour of the PHC is 8 AM to 12 noon and 5 PM to 7PM.	
Nurses	There is a Staff Nurse Smt. Lipika Mugri in-position in the facility and was found on duty at the time of visit.	
Ward Staff	There is a pharmacist, HW (F) are in-position along with deployment of one attendant and a sweeper in the facility. The staffs were on duty during the visit.	

3. Conditions of the Facility:-

Infrastructure	The PHC is functioning in its	The PHC is functioning in its own building.	
Power		There is dedicated power supply for the facility alongwith functional inverter to ensure uninterrupted power supply.	
Sanitation	Cleanliness	The facility is found to be clean.	
	Toilet facilities	Toilet facility is not adequate. However a new pre-fab structure with toilets has already been completed inside the campus to be handed over soon for utilisation.	
6	Availability of water	Water is available in the facility through borewell and overhead tank.	

4. Adequacy of Stock:-

Categories	Observation
Drugs/Medicine	75 types of drugs were available at the facility.
Equipment	The equipment like Microscope, BP machine, Hb check kit, Gluck check kit, RDK for Malaria & combo kit for HIV & Syphilis are available at the facility.
Ambulance	24 X 7 ambulance service is available in the locality.

Ami

Vier F


Photocopy Attested

18/

5. Readiness/Emergency:-

Telephone	Dedicated mobile numbers have been provided to the MO,	
- 1000 -	MBBS and the Ayush doctor of the PHC.	
Internet	Internet is available through wifi router.	

- 6. Accessibility:- Well connected
- 7. Miscellaneous remark:-



Inverter at PHC Mahinmunda

Pre-fab Structure completed at PHC, Mahiminda

Dr. Kamalakanta Das,

Addl. Director, I/C Waste Management, ,

DPH(0), Odisha

Sri Anil Kumar Mishra, Consultant, M&E NHM Sri Mrunalkanti Das Addl. Mission Director NHM, Odisha

Photocony Affected

Section Officer Health & FW Depa

Name of the District: Balasore

Name of the health facility: PHC, Bahanaga

1. Date and Time of Visit: 16.08.2022 at 4.05 PM

2. Presence of Medical Staff:

Doctors	One MO (MBBS) and One MO(AYUSH) were present.	
Nurses,	One in position was on the leave on health grounds from 13.08.2022 to 17.08.2022 approved by MO.	
Ward Staff	One Attendant, one Pharmacist & other staffs were present.	

3. Conditions of Facilities:

Infrastructure	Properly maintained infrastructure. Toilets are clean and good condition.	
Power	One inverters is available to provide power back-up in the facilit	
9 9	Cleanliness	Satisfactory
Sanitation	Toilet Facility	Toilets are in good condition
	Availability of water	Water facility is available.

4. Adequacy of stock:

Drugs	Drugs and Medicine are available as per the EDL
Medicine	
Equipment	Equipments are available
Ambulance	Not applicable Depends upon 102 and 108 ambulances.

5. Readiness /Emergency:

Telephone	Landline telephone facility is not available.
Internet	Not available. Utilising mobile network as and
	when necessary

- 6. Accessibility: The facility is well connected and situated at NH side.
- 7. Miscellaneous Remarks: Installation of PHC glow signage at the gate. Two gardens (small) and one pond are there in front & side of the hospital respectively which are well maintained.

 Photocopy Affected.

Section Officer Health & FW Deptt.



Discussion with the PHC team at Bahanaga

Name of the Officers/ Team members

Dr. Dillip Kumar Biswal Addl. Director, P & ID

Mr. Susani Kumar Nayak Sr. Consultant C.P. NHM, Odisha

Nodal Officer

Dr. Dinabandhu Panda,
Special Secretary (Medical Services) to Govt.
Health & FW Department

Photocony Attactor

Synthen Difficult Single A Fill ChanName of the District: Balasore

Name of the health facility: PHC, Bedipur

1. Date and Time of Visit: 16.08.2022 at 5 PM

2. Presence of Medical Staff:

Doctors	Health centre was open. One Medical Officer (MBBS) and one AYUSH Medical Officer were present.	
Nurses	One staff nurse is in position and was present.	
Ward Staff	One pharmacist, one attendant and other staffs were present.	

3. Conditions of Facilities:

Infrastructure	Old building in good condition. Toilets are in good condition. Boundary wall is incomplete.	
Power	Power back-up facility available	
	Cleanliness	Cleanliness is satisfactory.
Sanitation	Toilet Facility	Toilet facility is intact and water supply is available.
	Availability of water	Water supply available.

4. Adequacy of stock:


Drugs	Drugs and medicines are available.
Medicine	
Equipment	More than sufficient instruments and equipments are available
Ambulance	Not applicable. Depends upon 102 and 108 ambulance services

5. Readiness /Emergency:

Telephone	Landline telephone facility is not available.
Internet	Internet facility is available.

- 6. Accessibility: The facility is well accessible.
- 7. Miscellaneous Remarks: Drug inventory is maintained well. Unused extra instruments and equipments are to be returned to the District (DHH) /Block (CHC) for better utilization.

Section Officer Health & FW Depit.



Name of the Officers/ Team members

amar Biswal Addl. Director, P & ID

Mr. Susant Kumar Nayak Sr. Consultant J.P. NHM, Odisha

Photocopy Attacted

Section Officer Health & FW Depit. Nodal Officer

Dr. Dinabandhu Panda. Special Secretary (Medical Services) to Govt. Health & FW Department

Name of the District: Balasore

Name of the health facility: DHH, Balasore

1. Date and Time of Visit: 17.08.2022 9.00 AM

2. Presence of Medical Staff:

Doctors	Doctors were present as per the duty list.
Nurses	All the Staff Nurses were present.
Ward Staff	All other staffs were present.

3. Conditions of Facilities:

Infrastructure	Glasses of the doors & windows are intact.	
		king water available at different places.
Power	Adequate power back up is available.	
Sanitation	Cleanliness	Cleanliness is satisfactory.
	Toilet Facility	Clean toilet facility is available with running water supply.
	Availability of water	Water supply is available throughout the Hospital.

4. Adequacy of stock:

Drugs	Drugs and medicines are available	
Medicine	adequately.	
Equipment	Equipments available as per the requirements.	
Ambulance	2 Nos. of ambulance are available apart from 102 & 108.	

5. Readiness /Emergency:

Telephone	Landline telephone facility available.	
Internet	Internet facility is available.	

- 6. Accessibility: The facility is well connected.
- 7. Miscellaneous Remarks: There is huge inflow of patients in OPD with satisfactory management.

ICU beds are available in adequate number in different departments.











Visit to DHH, Balasore

Name of the Officers/ Team members

Dr. Dillip Rumar Biswal Addl. Director, P & ID Mr. Susani Kumar Nayak Sr. Consultani C.P. NHM. Odisha

Nodal Officer

Dr. Dinabandhu Panda.
Special Secretary (Medical Services) to Govt.
Health & FW Department

Photocopy Affactor

Section Officer Health & FW Deptt

Name of the District: Balasore

Name of the health facility: CHC, Remuna

1. Date and Time of Visit: 17.08, 2022 at 11.30 P.M.

2. Presence of Medical Staff:

Doctors	Doctors were present as per the duty list.
Nurses	All staff nurses were present as per the duty arrangement.
Ward Staff	All other staffs were present.

3. Conditions of Facilities:

Infrastructure	Adequate infrastructure is available and well maintained.	
Power	Power back up is available	
	Cleanliness	Maintained/Satisfactory
Sanitation	Toilet Facility	Toilet facility is available separately for male and female with running water supply.
	Availability of water	Adequate water supply is available.

4. Adequacy of stock:

Drugs	Essential drugs and medicine are available as per requirement.	
Medicine	per requirement.	
Equipment	Required equipments are available	
Ambulance	Ambulance facility is available.	

5. Readiness /Emergency:

Telephone	Landline telephone facility not available.
Internet	Internet facility is available.

6. Accessibility: The facility is well connected with pucca road.

7. Miscellaneous Remarks:

Photocony Attactor

• The Hospital premises is under CCTV surveillance

Section Office:

- Duty chart of Doctors and paramedics are properly displayed for public information
- This facility is a KAYAKALPA winner.
- A beautiful garden is there in front of the Hospital

Name of the Officers/ Team members

Dr. Dillip Kamar Biswal Addl. Director, P & ID

Mr. Susahi Aumar Nayak Sr. Consultant C.P. NHM, Odisha

Nodal Officer

Dr. Dinabandhu Panda, Special Secretary (Medical Services) to Govt. Health & FW Department

Photocony Attacker

Section Officer Health & FW Deptt.

Name of the District: BARGARH

Name of the Health Facility: Primary Health Centre, Satlama PHC

- 1. Date and Time of visit: 16.8.2022 At 3.30 PM
- 2. Presence of Medical Staff: Two Medical Officers were present at the time of visit.

Doctor	2 MOs present
	(1 MBBS & 1 AYUSH)
Nurses	Community Health Officer on Temporary duty after training
Ward Staff	LT-Transferred , though it's not sanctioned Security guard , Pharmacist present Sweeper and attendant present

3. Conditions of Facilities:

Infrastructure	2 quarters are used by pharmacist and attendant and condition is good, however reaming 2 are damaged. Overall infrastructure is good in the PHC	
Power	Inverter backup available	
Sanitation	Cleanliness	 Hospital infrastructure clean some overgrown shrub found within the campus and garden area
2	Toilet facility	 2 toilet available for male and female 1 toilet available in multi utility room. Toilet was clean
	Availability of water	Boring available

4. Adequacy of Stock:

Drugs Medicine	 64 types of drugs available Homeopathic medicine received on August 22 	Photoconv Attactor
Equipment	Microscope availableOxygen cylinder available	Section Offic Health & FW Depti.
Ambulance	NA (ambulance managed by 108)	

5. Readiness / Emergency:

Telephone Personal mobile

- As Rouxinarel at.

Par

Internet	Jio-fi available and has been recharged by
	BPMU of Barpali

6. Accessibility:

 Road condition is not good, around 150 meter kaccha road. As remarked by hospital staff fund has been sanctioned by ZP member for the road.

7. Miscellaneous remarks:-

- · Attendance register maintained
- Delivery not conducted within the facility
- All have ID card
- · Duty chart available

As Consumer & oth.

Porta

Photocony Attactar

Name of the District: BARGARH

Name of the health facility: Community Health Centre, Barpali CHC

1. Date and Time of visit: 16.8.2022 At 5.30 PM

2. Presence of Medical Staff: Four Medical Officers were present at the time of visit

Doctor	2 MBBS & 1 pediatric specialist present 1 AYUSH doctor present
Nurses	1 SN present out of 4. others attended shift wise
Ward Staff	LT, Sweeper, attendant, ward boy and security guard present

3. Conditions of Facilities:

Infrastructure	Good infrastructure, G+3 floor MCH is available. OT is well maintained NBSU is functional	
Power	Generator and Inverter backup available	
Sanitation	Cleanliness	Good condition
	Toilet facility	 Available also found clean
	Availability of water	Available

4. Adequacy of Stock:

Drugs	115 types of drugs available	
Medicine	Emergency drugs are available	
Equipment	 Integrated lab functional with required equipment, microscope available Ultrasound facility available 	
Ambulance	Managed by 108	

5. Readiness / Emergency:

Telephone	Staff using mobile	
	Intercom available	
Internet	Broadband connection available	

Aslexxinarlat.

Photocony Attacted

Cob

Section Cillians

6. Accessibility:

• Road connection to hospital is good, pvt bus facility available

7. Miscellaneous remarks:-

- · laundry facility available
- Front side of MCH building need to be colored.
- · On the day of visit 120 lab test conducted
- On the day of visit lift was not working

-Achondewarfat

Cadr

Photocopy Affected

(₩ Section Officer Health & FW Depit.

Name of the District: BARGARH

Name of the health-facility: DHH, Bargargh

- 1. Date and Time of visit: 17.8.2022 At 8.30 AM
- 2. Presence of Medical Staff:

Doctor	 O&G, Pediatric, medicine, surgery, skin, ENT, orthopedic, dental and TB & Chest OPD opened Duty chart available but in printed form Physiotherapist available 	
Nurses	Staff Nurse present	
Ward Staff	LT, pharmacist, sickle cell unit, integrated physiotherapy unit, Integrated counseling center, DEIC, ECG, ultrasound, x-ray opened	

3. Conditions of Facilities:

Infrastructure	G+6 floor building Up to 5 th floor building is used Dialysis facility available, OT functional	
Power	Generator is available for backup	
Sanitation	Cleanliness	Facility found clean
	Toilet facility	Available in each floor and found clean
	Availability of water	 Adequate water available

4. Adequacy of Stock:

Drugs	196 type of medicine available	
Medicine	 Expiry register, issue register and stock register maintained Online indenting done 	
Equipment	 CT Scan not available however, as informed by CDM&PHO civil work and coloring is going on and will be installed within 20 days. 	
Ambulance	Managed by 108	

5. Readiness / Emergency:

Telephone	Staff using mobile phone, however	
995 NOTE: 1	network is poor	
Internet	Broadband available but slow	

Astonkmarkath

Photocopy Affected

copy Attestan

Section Officer Health & FW Deptt.

6. Accessibility:

 Road connectivity is good, however transport system to hospital from town is poor.

7. Miscellaneous remarks:-

- Patients served with cooked food and diet managed by SHG members
- · Laundry facility available
- · Security guard present

- sherkinger bett.

Color

Photocopy Attested

Saction Childe Health & FW Depti

Name of the District: BARGARH

Name of the health facility: Primary Health Centre, Lakhanpur PHC

- 1. Date and Time of visit: 17.8.2022 At 11.30 AM
- 2. Presence of Medical Staff: Two Medical Officers were present at the time of visit.

Doctor	1 MBBS and 1 AYUSH present	
Nurses	ANM -vacant	
Ward Staff	Pharmacist – vacant, however, 1 MPHS(Male) who has done diploma in pharmacy is in charge of pharmacist LT post is not sanctioned	

3. Conditions of Facilities:

Infrastructure		good n available but delivery not lue to non-availability of ANM
Power	Inverter and	l solar available
Sanitation	Cleanliness	• Good
	Toilet facility	Available and clean
	Availability of water	Available , bore well available

4. Adequacy of Stock:

Drugs	140 types of drugs available
Medicine	All registers maintained
	TT available
Equipment	Microspore available
Ambulance	Ambulance managed by 108

5. Readiness / Emergency:

Telephone	Using own Mobile phones	
Internet	Jio fi available	

6. Accessibility:

connected with good road, people depend on pvt transports

7. Miscellaneous remarks:-

- · Bio matric available
- · ID card available
- · Duty chart available

Ashenkman Rot.

Photocony Attacked

Section Officer Health & FW Depti Color

Name of the District: BARGARH

Name of the health facility: Community Health Centre, Bhukta CHC

1. Date and Time of visit: 17.8.2022, 3.10 PM

2. Presence of Medical Staff: Thtee Medical Officers were present at the time of visit

Doctor	 2 MBBS doctors available 	
	 AYUSH MO –post vacant 	
Nur <u>s</u> es	1 SN , 1 head quarter ANM and 1 LHV present	
Ward Staff	Pharmacist, attendant, sweeper, LT and security present	

3. Conditions of Facilities:

Infrastructure	Good infras	tructure
Power	Inverter and	Generator available
Sanitation	Cleanliness	• Good
	Toilet facility	Available for both male and female and found clean
	Availability of water	Available Bore well available

4. Adequacy of Stock:

Drugs	Stock and indent maintained
Medicine	Essential medicines available
Equipment	Microscope available ECG , X ray -NA
Ambulance	NA

5. Readiness / Emergency:

Telephone	Staff using own mobile	
Internet	Broadband available	

6. Accessibility:

· connected with good road, people depend on pvt transports

7. Miscellaneous remarks:-

- Bio matric and CC TV available
- ID card available
- · Duty chart available

Photocony Affactor

Section Officer

Shorxwenkott

Name of the District: BARGARH

Name of the health facility: Community Health Centre, Bhatli CHC

- 1. Date and Time of visit: 17.8.2022 At 5.00 PM
- 2. Presence of Medical Staff: Three Medical Officers were present at the time of visit

Doctor	2 MBBS present
	Duty chart available
) <u>.</u>	 1 AYUSH doctor present
Nurses	SN and ANIM present
Ward Staff	LT, LHV, attendant and sweeper present

3. Conditions of Facilities:

Infrastructure no BARC	U seminaran diakeran	available and delivery
Power	Generator ar	nd inverter available
Sanitation	Cleanliness	• Good
Examples (80) (8 th	Toilet facility	Toilet facility available and found clean but road to female toilet need to be cleaned
ä	Availability of water	Water available

4. Adequacy of Stock:

Drugs	94 types of drugs available stock	
Medicine	maintained	
	 Prescription scan done by pharmacist 	
Equipment	 Microscope , auto analyzer and CBC available 	
Ambulance	Managed by 108	

5. Readiness / Emergency:

Telephone	Own mobile phone Broadband connection available	
Internet		

6. Accessibility:

- · well-connected road, pvt transport
- 7. Miscellaneous remarks:-
 - · ILR is in good condition and temperature maintained in ILR
 - · Bio matric and CC TV available

Photocony Affector

Made

Achordemanket

16

Name & Committee

Photographs PHC, Satalama



	0000 e 44440000000000000000000000000000	ାଳୀକ ସେ ବ୍ୟବେଶ୍ର ଜ	
- FL	I m most	क्षा च्याम्, ध	ALIX(34)
0714	9796	la dan	
1990	7 5 -4 500		
CHISTA HOUSE	100 mm may	Alam and	
Septiment -	21.00		
WHITE STATE OF			
4-24	400	100	
CONTRACTOR OF THE CONTRACTOR O			
92.00	0 00000		








- Ashownaulah


Photocopy Attested

Section Officer Health & FW Dents - Od

CHC, Barpali



100	नवाक।	ଘଣ୍ଟା ବେସ		ଅନୁପଣ୍ଡିକ
27.02	2510 1 2 2 4	ବଣକୁ ସହ ୯	୯ ଠାରୁ ସଜାନ ୮	의했다였다
ନମ୍ପୟ		150		
129 M	4.		N SHILL	
সহত	77.		-	
95.9			Colores and Colore	





Photocopy Affector

Section Officer Health & FW Deptt.




DIR.

A sheeke marity the

DHH, Bargarh


















Section Officer


PHC, Laxanpur






















- Asheximan Kod

CHC, Bhukta











Photocony Affactan

Section Officer Health & FW Deptt. Achoresinas foot


CHC, Bhatli



#1. No. 171072 (BEPAIT) Exempt Exempt Exempt Exempt 10.5 per to 0.5	Right
III Series Phartities 1999 Series	1505 gens to 255 ge
	The state of the s
12 Best Males Best September 1 September 1	
ii Person Industry	
H. Disconnections	
(A) Cabbratas	
* Francy Chica Labour Francis Grand	



ବହିବିଭାଗ









Photocony Attacted

Koho Krimer Kodt

Name of the District: Bhadrak

Name of the Health Facility: DHH, Bhadrak

- 1. Date & Time of Visit :- 10.08.2022, 3 PM
- 2. Presence of Medical Staff:-

Doctor	51 nos. of doctors are available out of which 21 Specialists & 30 GDM, Vacant - 25
Nurses	44 nos. available
Ward Staff	14 nos. available

3. Conditions of Facilities :-

Infrastructure	In good condition	
Power	4 generators & 4 inverte	ers are available
Sanitation	Cleanliness	Satisfactory
	Toilet facility	Satisfactory
	Availability of water	Available

4. Adequacy of Stock :-

Drugs	All essential drugs and medicines are available	
Medicine		
Equipment	Required equipments are available and are in good condition.	
Ambulance	2 ambulances and 1 Mahaprayana Vehicle are available	

5. Readiness / Emergency :-

Telephone	Available for 24 hours	
Internet	Available for 24 hours	

- 6. Accessibility:- Well connected
- 7. Miscellaneous Remarks :- Not applicable

Photocopy Attacted

Health & FW Dept.

10. E 22

Name of the Health Facility: CHC, Barpada

- 1. Date & Time of Visit: 10.08.2022, 10.30 AM
- 2. Presence of Medical Staff :-

Doctor	7 nos. of Medical Officers are available (Regular - 4, Contractual - 3) (In-charge Medical Officer is Paediatric specialist, post of O&G specialist is vacant)
Nurses	I nurse is available out of 3 sanctioned post
Ward Staff	2 nos. available

3. Conditions of Facilities :-

Infrastructure	In good condition	
Power	I generator & 5 inverter	s are available
Sanitation	Cleanliness	Satisfactory
	Toilet facility	Satisfactory
160	Availability of water	Available

4. Adequacy of Stock :-

Drugs	All essential drugs & Medicines are available. Only
Medicine	there is shortage of family planning commodity.
Equipment	Required equipments are available and are in good condition.
Ambulance	2 ambulances are available

5. Readiness / Emergency:-

Available for 24 hours	
Available for 24 hours	

- 6. Accessibility:- Well connected
- 7. Miscellaneous Remarks :- Not applicable

Photocony Attacted

Health & FW Deptt.

Mary Barge

Name of the Health Facility: PHC, Bont

- I. Date & Time of Visit :- 10.08.2022, 12.15 PM
- 2. Presence of Medical Staff:-

Doctor	I AYUSH doctor is available (Regular in-charge doctor is on long leave
Nurses	2 nurses are available
Ward Staff	l no available

3. Conditions of Facilities :-

Infrastructure	The hospital is running in an old building. There we soakage in each room and there was no drainage system from the campus for which there was water logging and even the water was entered into the hospital rooms.	
Power	3 inverters are available	
Sanitation	Cleanliness	Not Satisfactory
	Toilet facility	Satisfactory
	Availability of water Available	

4. Adequacy of Stock :-


Drugs	All essential drugs & Medicines are available.	
Medicine		
Equipment	Required equipments are available and are in good condition.	
Ambulance	108 ambulances are available	

5. Readiness / Emergency :-

Telephone	CUG no. is available for 24 hours	
Internet	Intermittently available	
internet	intermittently available	

- 6. Accessibility :- Well connected
- Miscellaneous Remarks: Hospital needs functionalisation of new building. Proper drainage system required to avoid water logging.
 Maintenance of the cleanliness of the institution & the premises required.

Photocopy Attested



Drenda No. 8 12 Drenda 10.8 27

Name of the Health Facility: PHC, Shyamsundarpur, Upperdumuka

The team contacted the CDMO Office about the PHC. Shyamsundarpur, Upperdumuka and it is informed that there is no such PHC but, there is a SC which is now converted to HWC and it is functional.

10.8.22 December 10.8.22

Photocopy Affactan

Section Officer Health & FW Depti.

Name of the District: Boudh

Name of the Health Facility: DHH Boudh

1. Date and Time of visit:-

16.08.2022 12.30 P.M &

17.08.2022 10.30 AM

2. Presence of Medical Staff:-

Doctor	Doctors in the OPD and Causality are present as per the duty list.
	Out of 47 nos. sanctioned post, 22 nos. doctors are working in position. Two nos. of doctors are deputed to other place. One contractual doctor is now posted at DHH, Boudh
Nurses	Present
Ward Staff	Present including Help Desk staffs who are performing the registration and guide the patients to different OPDs.

3. Conditions of Facilities:-

Infrastructure	department is	IPD in the main building including eye present in the DHH along with 12 bedded orn Care Unit (SNCU).
Power		power back up
Sanitation	Cleanliness	Needs improvement – suggestions given accordingly.
	Toilet facility	Available (Male & Female toilet available). Suggestions given to maintain cleanliness with proper branding.
	Availability of Water	Available

4. Adequacy of Stock:-

Drugs		
Medicine	Available and well stocked.	
Equipment	Basic equipments required for day to day works are available. Kirloskar Technologies Pvt. Ltd. (KTPL) is given the responsibility for periodic maintenance of the equipments.	
Ambulance	Ambulance available including Mahaprayan Vehicle.	



Photocopy Attected

Section Officer Health & FW Deptt. 5. Readiness / Emergency:-

Telephone	Available	
Internet	Available	

- 6. Accessibility:- Well connected by Road
- 7. Miscellaneous Remarks:-
 - (i) 30 bedded in-patient department with ramp facility is under construction over the OPD building which is about to be completed. It can accommodate more number of indoor patients in the coming days.
 - (ii) Two trained in life saving anaesthetic skills (LSAR) doctors are available to give anaesthesia for caesarean section.
 - (iii) ECG facility is available.
 - (iv) Minor surgeries are being conducted by competent and experienced consultants in surgery.
 - (v) For dialysis patients injection EPO is provided to the patients as per their requirement and stocks are available.
 - (vi) Minor modification and upgradation of operation theatre and labour room is suggested and the same has been discussed in detailed with CDM & PHO and team.

Crack Team Member

(Dr. Bijaga Ku. Swain)

Crack Team Member

DR. CV-S.N. Rao

Nodal Officer of Crack Team-cum-Director, Blood Safety, Odisha Photocony Attestar

Section Officer Health & FVV Depte

DHH, Boudh







Photocopy Attested

Section Offices Health & FW Deptt.

Q.

New construction Buildings at DHH Boudh





Section Officer Health & FW Ceptt

Name of the District: Boudh

Name of the Health Facility: PHC Manmunda

1. Date and Time of visit:- 16.08.2022 5.30 P.M.

2. Presence of Medical Staff:-

Doctor	Present	
	All staff present as per the duty list except one M.O. who is on leave from 11.08.2022 to 18.08.2022.	
Nurses	Present (Out of the sanctioned 8 posts 4 are present)	
Ward Staff	Present as per the duty roster.	

3. Conditions of Facilities:-

Infrastructure	Labour Room, centre (DDC), are available.	Ayush OPD, OG Specialist OPD, Dressing Room, Drugs distribution integrated lab and indoor facilities Two labour beds are available. is maintained.
Power	Available with power back up	
Sanitation .	Cleanliness	Needs improvement
	Toilet facility	Available (Separate Male & Female toilet available)
	Availability of Water	Available – source bore well.

4. Adequacy of Stock:-

Drugs		
Medicine	Adequately available	
Equipment	Oxygen Cylinder and Oxygen concentrator, Refrigerator, other instruments essential for minor surgeries are available and microscope along with other related logistics available	
Ambulance	108 ambulance on call	

Photocopy Attactart

10

Section Officer Health & FW Deptt. 5. Readiness / Emergency:-

Telephone	Available - (Common user group – CUG SIM supplied by NHM)
Internet	Available

- 6. Accessibility:- Connected by Road
- 7. Miscellaneous Remarks:-
 - (i) The patient load is around 250 to 300 per day.
 - (ii) One MCH building is proposed for which layout have already been given.
 - (iii) A two storied indoor building is under construction and about to be completed.
 - (iv) Instructions are issued to replace labour tables.

Crack Team Member

(Dr. Bijax Kur Strain.

Crack Team Member

Nodal Officer of Crack Team-cum-Director, Blood Safety, Odisha


Photocopy Attested

Section Charge (Meann & File freque

PHC, Manmunda



10



Prefab structure of PHC, Manmunda





Photocony Affactart

Section Officer Health & FW Depti.



Name of the District: Boudh

Name of the Health Facility: PHC Baghiapada

- 1. Date and Time of visit: 17.08.2022 9 A.M.
- 2. Presence of Medical Staff:-

Doctor	Present
	Ayush Medical Officer : Present
Nurses	Present
Ward Staff	Present

3. Conditions of Facilities:-

Infrastructure	Good The PHC building is newly constructed. A prefab structure is under construction.	
Power	Available with power back up	
Sanitation	Cleanliness	Well maintained
	Toilet facility	Available & clean (Male & Female toilet available)
	Availability of Water	Available – source bore well with over head tank. For patients a Milton water filter is placed at the entrance of the Hospital and for staff, an aquaguard is installed.

4. Adequacy of Stock:-

Drugs		
Medicine	Available and well stocked.	
Equipment	Oxygen Cylinder and Oxygen concentrator, Refrigerator, Microscope along with other related logistics available	
Ambulance	108 ambulance on call	

Photocopy Affactar

Section Officer Health & FW Deptt.



5. Readiness / Emergency:-

Telephone	Available - (Common user group - CUG SIM supplied by NHM)	
Internet	Available	

- 6. Accessibility:- Connected by Road
- 7. Miscellaneous Remarks:-
 - (i) The patient load is around 40 to 60 per day.
 - (ii) Suggestion is given to install a R.O filter for patients also.
 - (iii) As informed by M.O. Ayush and female health worker around 12 to 15 deliveries are conducted per month in the old hospital building which is around 2.5 K.M. away from the new building and managed by trained health worker female (FHW) and M.O. Ayush.

Crack Team Member

(Dr. Bijaya (cu. Swalin)

Crack Team Member


DR. C. V. S. N. Rao)

Nodal Officer of Crack Team-cum-Director, Blood Safety, Odisha

Photocopy Attactan

Section Officer Health & FW Deptt.

PHC, Bhagiapada



6

Photoconv Attacted

Name of the District: Boudh

Name of the Health Facility: PHC Charichhacka

- 1. Date and Time of visit:- 16.08.2022 10 A.M.
- 2. Presence of Medical Staff:-

Doctor	Present	
and the state of t	Ayush Medical Officer : Vacant	
Nurses	Present	
Ward Staff	Present	

3. Conditions of Facilities:-

Infrastructure	Good Six bedded prefab structure about to be completed.		
Power	Available with power back up		
Sanitation	Cleanliness	Well maintained, surroundings clean with good landscaping & gardern.	
	Toilet facility	Available & clean (Male & Female toilet available)	
	Availability of Water	Available with aquaguard facility for both staff and patients	

4. Adequacy of Stock:-

Drugs		
Medicine	Available with anti-snake venom (ASV) & other life saving drugs.	
Equipment	Oxygen Cylinder and Oxygen concentrator, Refrigerator, Microscope along with other related logistics available	
Ambulance	108 ambulance on call (Station nearby)	

Photocopy Attactor



Section Officer Health & FW Depti 5. Readiness / Emergency:-

Telephone	Available - (Common user group - CUG SIM supplied by NHM)
Internet	Available

- 6. Accessibility:- Connected by Road
- 7. Miscellaneous Remarks:-
 - (i) The patient load is around 30 to 40 per day.
 - (ii) The post of the pharmacist is not sanctioned as reported by the Medical Officer In-Charge. One MPW (male) having diploma in Pharmacy is managing NIRAMAYA DDC store.

Crack Team Member

OA. Bijaya Kustaén)

Crack ream Member

Nodal Officer of Crack Team-cum-Director, Blood Safety, Odisha

Photocopy Attested

Section Officer Health & FW Deptt.

PHC, Charichhacka



Photocopy Attactant

10

Section Conve Health & FW Depti.

Name of the District: Boudh

Name of the Health Facility: PHC Khuntigora

- 1. Date and Time of visit: 16.08.2022 4 P.M.
- 2. Presence of Medical Staff:-

Doctor	Present	
	Medical Officer Ayush deployed to District Head Quarters (DHH) Boudh to manage Rapid Response Team (RRT) for COVID emergency	
Nurses	Present	
Ward Staff	Present	

3. Conditions of Facilities:-

Infrastructure	Good	
Power	Available with power back up	
Sanitation	Cleanliness	Well maintained
	Toilet facility	Available (Male & Female toilet available)
	Availability of Water	Available with aquaguard facility

4. Adequacy of Stock:-

Drugs		
Medicine	Available	
Equipment	Oxygen Cylinder and Oxygen concentrator, Refrigerator, Microscope along with other related logistics available	
Ambulance	108 ambulance on call	

Photocopy Affactar



Section On Health & FW Depth 5. Readiness / Emergency:-

Telephone	Not available (Staff using personal mobile)		
Internet	Available		

- 6. Accessibility: Connected by Road
- 7. Miscellaneous Remarks:-
 - (i) The daily patient load is approximately 60 to 70.
 - (ii) Though Invertor is available but during continuous power cut, it is not providing back up. At the time of team's visit to the health facility, it is learnt that there was no power supply since three days.

Suggestion: Provision of genset / generator will help in maintaining continuous power supply.

Crack Team Member

DA. Bijaya Ku. Swaln

Crack Team Member

Nodal Officer of Crack Team-cum-Director, Blood Safety, Odisha

Photocopy Attested

Section Officer Health & Fire Counts

PHC, Khuntigora



6

Section Officer Health & FW Deptt.

Name of the District:	Cuttack	
Name of the health facility:	PHC Barang	
	The bolding	10
1. Date and Time of visit:	10.08.2022, 8.10 am -	
2. Presence of Medical Staff:		
Doctor	0	
Nurses	1	
Ward Staff	2	-
3. Conditiond of Facilities:		
Infrastructure	Well maintained	
Power	Inverter is there but Generator already procured but not yet installed	
	Cleanliness	Good
Sanitation	Toilet facility	Well maintained and toilets available separately for male, female and disabled.
	Availability of water	Yes,Portable water available
4. Adequacy of Stock:		
Drugs	Yes	_
Medicine	Yes	
Equipment	Yes	_
Ambulance	No No	-
5. Readiness/Emergency:		
Telephone	No	
Internet	No	
6. Accessibility:	Easily accessible	
7. Miscellaneous Remarks:	Multistoried residential accommodation may be provisioned inside the campus. Stretcher and wheel chair available. The laboratory is fully functional and well maintained by the technician. Bed sheet was there on the patient's bed. IEC materials displayed at appropriate places. Both MO allopathic & MO AYUSH have been assigned for NDD Training by MO In-charge CHC (order attached), Tangi on the same day i.e. 10/08/2022. MO In-charge, CHC/BPHO, CHC to ensure that for all such trainings in future BPM, PHEO, AYUSH MO to undertake sector level training and spare the MO of PHC to manage the OPD. PHC is neat and clean and well maintained. BMW disposal as per guideline. All records and registers are well maintained. Routine immunization activity conducted well.	

Photocopy Attacted

Wy'

Control of Hotelus

OFFICE OF THE SUPERINTENDENT CHC MAHIDHARPADA.. CUTTACK

Letter No. 1725

Date: 06.8-2022

To The BEO Baranga

The CUPO-Baranga

Sub:-1 Regarding observation of National Deworming Day (NDD) on dt 12.8.2022 in each school (Govt. Aided & PVT.) and in each AWC

2 . Orientation of one teacher from each school

Ref:- Letter No :-13557 dt 04.8.2022 of CDM&PHO Cuttack , Letter No :- 599 dt 29.6.2022 of DFW(0) Sir /Madam,

With reference to the subject cited above I am to Inform you that (1-19) yrs of all children will be administered with Albendazole Syrup/Tablet In each AWC & each school (Govt, Alded & pvt) on dt 12.8.2022, this date is entitled as National Deworming Day (NDD) and to be followed by MoP round on dt 19.8.2022. In schools designated teacher / HM has to ensure consumption of Albendazole Tablet by all students, in AWCs concerned AWW has to ensure consumption Albendazole Syrup / Tablet by (1-5) yr children & nonschool going adolescents & reporting

Hence BEO Baranga and CDPO Baranga are requested to issue necessary instruction to all schools & AWCs respectively for effective implementation of the National Programme.

Age	Albendazole Syrup/ Tablet
(1-2) yrs	5ml Albendazole syrup after meal
(2-5) yr	10Albendazole Syrup aftermeal
Syr+ and above	1 Albendazole Tablet (400mg) chewed after meal

Orientation meeting schedule for School Teachers

(One teacher from each school (School health Nodal Teacher/HM)

Batch	Name of health Sector	Date Time	Venue	Name of schools	RP
1st	снс но	10.8.2022 10.30 M	CHC meeting hall	1 Nagari 2 Kurangapradhan 3 Kurangasasan 4 Harianta	Sector MO AYUSH MO MPHS(M&F)
2nd	Khalarda	10.8.2022 10.30 M	Korkora GP Office	1 Korkora 2 Khalarda 3 Usuma 4 Salnsa	Sector MO AYUSH MO MPHS(M&F)
3rd	Baranga	10.8.2022 10.30 M	BRCC Office Naranpur	1 Dadhapatna2 Sribantapur 3 Belagachhia 4Kuhneipada 5 Madhupur	Sector MO AYUSH MO MPHS(M&F)
4th	Mundali	10.8.2022 10.30 M	Ramadaspur HS	1 Mundali 2 Naraj 3 Ramadaspur	Sector MO AYUSH MO MPHS(M&F)

This is for your information & necessary action.

Photocopy Affactor

Superintendent CHC Mahidharpada Cuttack

Section On Co. Health & FW Depti. 112.6

Date: 06.8.2022

Copy submitted to BDO Baranga for information & necessary action.

Superintendent

Koy CHC Mahidharpada

Cuttack

Memo no: 1/27

Date:- 06-8-2022

Copy submitted to all Sector MOs under CHC Mahidhrpa for Information & instructed to ensure training of teachers and ASHAs before the programme and ensure supply of Albendazole Syrup/ Tablet in each school and AWC and strengthen the AEFI management system.

Superintendent 8.2

For CHC Mahldharpada

Cuttack

Memo no:- //2 8

Date: 06-8-2022

Copy submitted to CDM&PHO Cuttack for Information & necessary action.

Superintendent

Aw. CHC Mahidharpada

cuttack

Photocopy Aftested

Section Officer Health & FW Deptt.

Name of the District:	Cuttack	
Name of the health facility:	PHC, Mangarajpur	
Date and Time of visit:	10.08.2022, 10.32 am	
2. Presence of Medical Staff:		-
Doctor	1 MBBS Doctor present and the AYUSH MO was on VIP duty(order attached).	
Nurses Ward Staff	1 1	
	2	
3. Conditiond of Facilities:		
Infrastructure	Well maintained	
Power	Inverter is there but Generator not available	
	Cleanliness	Good
Sanitation	Toilet facility	Only one toilet available for all the staffs.
	Availability of water	Yes,Portable water available
1. Adequacy of Stock:		
Drugs	Yes	
Medicine	Yes	
quipment	Yes	
Ambulance	No	
. Readiness/Emergency:		
elephone	No	
nternet	No	
. Accessibility:	Bus communication facility is not available.	
· · · · · · · · · · · · · · · · · · ·		
Miscellaneous Remarks:	Attendance register maintained.Smart se patients are satisfied with the services should sit in his own OPD.More waiting may be taken for installation of Waste currently occupies the patient waiting a and should be updated daily.IEC on BMW kept in place.Pharmacist was absent and Nursing Officer.Grievance redressal mechanics.	being provided.AYUSH MC chairs may be provided.Step: e shreder machine which is rea.Drug list to be displayed as well as proper bins are no drugs are dispensed by the

Photocopy Attactan

W

Section Office: Health & FW Depti. Director of Nursing

Name of the District:	Cuttack	
Name of the health facility:	CHC, Tangi	
1. Date and Time of visit:	10.08.2022, 11.50 am	
2. Presence of Medical Staff:		1
Doctor	7	7
Nurses	3	1
Ward Staff	2	
3. Conditiond of Facilities:		-
Infrastructure	CHC with gate and boundary.	1
Power	Inverter and Generator already	,
rower	there.	
	Cleanliness	Average
Sanitation	Toilet facility	Well maintained and toilets available separately for male and female.
	Availability of water	Yes,Potable water available
4. Adequacy of Stock:		
Drugs	Yes	
Medicine	Yes	
Equipment	Yes	
Ambulance	1	
5. Readiness/Emergency:		
Telephone	No	
Internet	No	
6. Accessibility:	Easily accessible	
	+	
7. Miscellaneous Remarks:	Outy roster for Mos and Nursing Officers should be maintained in the casualty.Beds are covered with bed sheets.Number of beds as per	
E 17 (E)	guideline should be increased.Labour room well maintained.	

Photocony Affactar

Section Officer Health & FW Deptt. Diractor of Hursing

Name of the District:	Cuttack	
Name of the health facility:	DHH, Cuttack	
Date and Time of visit:	10.08.2022, 2.16 pm	
2. Presence of Medical Staff:		
Doctor	26	
Nurses	20	
Ward Staff	11 attendant & 4 sweeper	
3. Condition of Facilities:		1
Infrastructure	Well maintained	
Power	Generator available.	
	Cleanliness	Good
Sanitation	Toilet facility	Well maintained and toilets available separately for male and female.
	Availability of water	Yes, Potable water available
4. Adequacy of Stock:		
Drugs	Yes	
Medicine	Yes	
Equipment	Yes	
Ambulance	Yes	-
5. Readiness/Emergency:	- 	
examples a success to the		Free telephone facility may be
[elephone	No	provided in the casualty.
nternet	Yes	
. Accessibility:	Easy accessible	
9	Doctors are signing the	
	attendance register. Public toilet	
	is there and maintained by CMC	
	but that is not utilized by the	2
. Miscellaneous Remarks:	public and kept under lock and	8
	key.Chemotherapy services was	
	provided by the trained Dr. Dr.	
	D.B.Panda.As he has been	W
	transferred to DHH,	
	lagatsinghpur,currently the	
Photocony Attact	services have been suspended	

Photocony Attactor

Section And Beauth & FW Depti

Director of Maraina

Name of the District

Deogarh

Name of the health facility

Deogarh DHH

1. Date and Time of visit: :

_16.08.2022 from 01:00 PM to 02:00 PM

and then 05:30 PM to 08:00 PM

2. Presence of Medical Staff: -

Doctor	Regular14 (fourteen) Doctors and One contractu Doctor posted. Doctors are present as per dul distribution.		
Nurses	29 (Twenty-nine) Staff Nurses are posted and present on duty as per duty distribution.		
Ward Staff	I. Pharmacist	: 07 Nos.	
	ii. Laboratory Technicians	06 Nos.	
	iil. Radiographer	03 Nos.	
	iv. Help Desk staff	11 Nos.	
	v. Attendant	08 Nos.	
	vi. Peon	01 No.	
語	vii. Sweeper	46 Nos.	
	viii. Electrician	03 Nos.	
	ix. Plumber :	03 Nos.	
	x. Housekeeping supervisor :	04 Nos.	
	xi. Security Guard : Supervisor	05 Nos.	
	xil. Security Guard :	43 Nos.	
	xili. Staff posted at Ticket : Counter	08 Nos.	

3. Conditions of Facilities: -

Infrastructure	Annual contraction of the second of the seco	lity of adequate space, only 119 beds st 200 sanction beds.
	Commission of the Commission o	ysis Machine are available. Functional and OT were there. Blood Center with blood was available.
Power	Power supply available with functional Diesel Generator Set.	
Sanitation		
Sanitation	Cleanliness	Satisfactory and maintained by NIRMAL.
Sanitation	Cleanliness Toilet facility	[

Cordo Mande

Photocony Affactor

Section Officer Health & FW Dopts 4. Adequacy of Stock: -

Drugs	Adequate drugs available provided by DDC.
Medicine	
Equipment	All essential equipments are available except CT Scan machine.
Ambulance	Ambulance services is available.

5. Readiness/Emergency: -

Telephone	Available. Help Desk No.: 0664- 1291085
Internet	Available

6. Accessibility

: Well connected.

7. Miscellaneous Remarks

- a DHH needs new building like other DHH and availability of beds for indoor patients.
- b Ultrasonography service should be provided in the hospital.
- c Provision of trained doctors for ultrasonography.

(Dr. Anjama Panda) Addl. Director, OSACS

Chandra Bhann Panda)
Stale Accountant


Dr. Cremila Misoz.


Diocch-Addl. Seey. in chaye of
po osacs.

Photocony Affectar

Section Officer Mealth & FW Doots

PHOTOGRAPHS






CBEdo

Dane

Donton







flower

Our S

Secreta Chier. Secreta & Colory



Rand Jaukan



Name of the District

Deogarh

Name of the health facility

Palsama PHC

1. Date and Time of visit:

16.08.2022 at 10:30 AM

2. Presence of Medical Staff: -

Doctor	Regular Doctor posted, but, was on training at the time of visit.
Nurses	One Staff Nurse on duty
Ward Staff	One Pharmacist, Two Sweepers and one Security Guard were on duty

3. Conditions of Facilities: -

Infrastructure	Injection Room, Observation Room a	with facilities of OPD, Dispensing, Dressing Room, Labour Room, nd Sun-Stroke Room available. ole, needs repair, renovation.
Power	Available with inverte	
Sanitation	Cleanliness	Hospital is cleanly maintained.
	Toilet facility	Public toilet is available. Advised to maintain properly
	Availability of water	Available

4. Adequacy of Stock: -

Adequacy of	
Drugs	Adequate drugs available. Drugs to be kept in racks and labelling to be done, advised the pramagicist.
Medicine	Advised to maintain medicine stock register properly.
Equipment	Equipment for normal labour and minor surgical procedure, I.L.R., Refrigerator, Oxygen concentrator and computers were available.
Ambulance	Ambulance is not provided to PHC. Ambulance services is available on call (108 and 102).

Photocopy Attactor

5. Readiness/Emergency: -

Telephone	Not available
· · · · · · · · · · · · · · · · · · ·	
Internet	Available

6. Accessibility

: Well connected.

7. Miscellaneous Remarks

: It is advised to make ILR point functional.

Staff quarter need to be repaired.

(Dr. Avjana Pande) Addl. Derector, OSACS.

Br. Criente Misra.

Birocher Com Addl Sely. H. F.D.


ed charge PD Osper.

CBRado Chandra Bhanu panda) State Account and NHM

Photocopy Attested


Section Officer

PHOTOGRAPHS




Photocopy Altested


Section Officer Health & FW Deptt.



auten

Hem





Que

Photocopy Attested

Mande

Name of the District

: Deogarh

Name of the health facility

Kandhal PHC

1. Date and Time of visit:

16.08.2022 at 03:30 PM

2. Presence of Medical Staff: -

Doctor	One MBBS Doctor and One Ayush Doctor were on duty
Nurses	One Staff Nurse was on duty
Ward Staff	One Pharmacist, One Laboratory Technician, One ANM, One Sweeper and one Security Guard were on duty

3. Conditions of Facilities: -

Infrastructure	Dispensing, Dress	vith facilities like, OPD, Laboratory, ing-cum-Injection Room available. functional for last 04 (four) months, enovated.
Power	Power supply with inverter back-up was there.	
Sanitation	Cleanliness	Need to be improved.
	Toilet facility	Available and was clean.
	Availability of water	Available

4. Adequacy of Stock: -

Drugs	Adequate drugs available. Drugs to be kept in racks with proper labelling.
Medicine	
Equipment	Equipment for normal labour and Minor Surgical procedure, ILR, Refrigerator, Oxygen concentrator and computers were available. Microscope, Centrifuge.
Ambulance	Ambulance services is available on call (108 and 102).

Photocopy Affectan

Section Officer Health & FW Done

CBRado

Afondy

5. Readiness/Emergency: -

Telephone	Not available	8
Internet	Available	

6. Accessibility

: Well accessible

7. Miscellaneous Remarks

- a Labour room needs renovation or provision for new labour room building.
- b Though there are staff quarters in the campus, none is habitable and it is learnt from the Medical Officer that there is some dispute in handing over the quarters for years to the Health & FW Deptt.
- c Since, the daily footfall of patients on and average 80 per day, the above facilities should be made available for better service delivery.


ARande (Dr. Ayana Pande) Adoll. Director, OSACS. Dr. Cremita Misra. Director cum Addl Sozy en chaya PD Ospes.


CBELO

(chandre Bhanufanda) State Accountant IN HM

Photocopy Attested

8. PHOTOGRAPHS






South

Photocopy Attortad

Section Officer Health & FW Deptt.



Name of the District

Deogarh

Name of the health facility

Tileibani CHC

Date and Time of visit:

17.08.2022 at 09:30 AM

2. Presence of Medical Staff: -

Doctor	Three MBBS Doctors One Ayush Doctor, were on duty.
Nurses	One Staff Nurse was on duty
Ward Staff	One Pharmacist and One Laboratory Technician are on duty.
	Out of 5(five) Sweepers and 03 (Three) Security Guards posted; One Sweeper and One Security Guard were on duty, as per duty distribution.

3. Conditions of Facilities: -

Infrastructure	Hospital Building with facilities of OPD, Dispensing Dressing Room, Labour Room and Laboratory Room were available. Besides, there is one OT for Minor Surgica procedure.	
Power	Available with Diesel Generator and inverter back up.	
Sanitation	Cleanliness	Hospital building is cleanly maintained.
	Toilet facility	Available and clean.
	Availability of water	Available

4. Adequacy of Stock: -

Drugs	Adequate drugs available, proper labelling of drugs to be done
Medicine	
Equipment	Equipment for normal labour, minor surgical procedure, ILR, Refrigerator, Oxygen concentrator and computer were available.
Ambulance	Ambulance services is available on call (108 and 102).

Photocopy Attacted

Section Chiles.

Section Chiles.

August 8 pw Deput.

CBR do Health 8 pw Deput.

5. Readiness/Emergency: -

Telephone	Not available	
Internet	Available	

6. Accessibility

: Well accessible

7. Miscellaneous Remarks

: The entire hospital building needs to be repaired and renovated as water sockage was there from roof and wall. Staff quarters need to be repaired and handed over to institution for proper maintenance.

APamele (Dr. Anjama Panda) Addl Director, OSACS.

On Transla Messa Obrector Cem Addl Seey In close PD Ospes.


(Stale Acountant NHM) Chandrea Bhanu Panda

Photocopy Altertad

Section Officer

Health & FW Deptt.

PHOTOGRAPHS






Destan

Jarl

Photocopy Attested Debit



Davion

Jank

Section Officer Health & FW Deptt.

Name of the District: Dhenkanal

Name of the Health Facility: DHH, Dhenkanal

1. Date & Time of Visit: 17th August 2022 at 4:00 PM

2. Presence of Medical Staff:

Doctor	There are total 32 doctors in position and they were present as per attendance record.	
Nurses	There are total 35 staff nurses and they were present as per attendance record.	
Ward Staff	There are a total of 22 attendants, 75 security guards, 60 sweepers and they were present as per attendance record.	

3. Conditions of Facilities:

Infrastructure	Infrastructure is good	
Power	There is power supply to all the rooms. DHH is having adequate power back up systems	
Sanitation	Cleanliness	Cleanliness is satisfactory.
	Toilet facility	Toilets were inspected and found to be clean.
8.	Availability of water	Dedicated water supply through bore well

4. Adequacy of Stock:

Drugs	Sufficiently available	
Medicine	Sufficiently available	
Equipment	Adequate and functional	
Ambulance	108 Ambulance service available.	
	2 other ALS Anibulances available At DHH out of MP LAD fund.	
The second secon	land)	

Photocopy Attestan

Section Officer

Fleatify & FW Gepts.

5. Readiness / Emergency:

Telephone	Connectivity-available
Internet	Available

- 6. Accessibility: Well Connected
- 7. Miscellaneous Remarks:

There were 783 OPD patients and 210 IPD patients by the time of visit Patient calling system available to prevent overcrowding

Shri Manas Kumar Khara Consultant (Health Plan) NHM, Odisha Dr. Praincela Baral
Additional Director, Public
Health
Directorate of Public Health,
Odisha

Dr. Jasmine Patnaik Joint Secretary to Govt. Health & FW Department, Odisha


Photocopy Attested

Section Officer Health & FW Deptt.

Photo Gallery: DHH, Dhenkanal



Waiting area at DHH, Dhenkanal




Lobby area at DHH, Dhenkanal



Waiting area at DHH, Dhenkanal



Tollet Block at DHH, Dhenkanal



Tollet Block at DHH, Dhenkanal



Tollet Block at DHH, Dhenkanal

Photocopy Aftestor Section Officer Health & FW Deptt.

Name of the District: Dhenkanal

Name of the Health Facility: CHC Beltikri

1. Date & Time of Visit: 17th August 2022 at 11:30 AM

2. Presence of Medical Staff:

Doctor	There were 5 doctors present at the time of visit
Nurses	There were 5 staff nurses and they were present as per attendance record.
Ward Staff	There were 2 ward attendants and they were present as per attendance record.

3. Conditions of Facilities:

Infrastructure	Infrastructure is good and well maintained	
Power	Power supply available to all rooms. CHC is having adequate power back up systems	
Sanitation	Cleanliness	Cleanliness is good
·	Toilet facility	Separate toilet facilities are available for both indoor & outdoor patients.
	Availability of water	Dedicated water supply through bore well

4. Adequacy of Stock:

Drugs	Sufficiently available	
Medicine	Sufficiently available	
Equipment	Adequate and functional	
Ambulance	108 Ambulance service available.	

Photocopy Attested



5. Readiness / Emergency:

Telephone	Connectivity restored	
Internet	Internet connectivity restored	

Accessibility: Well connected

7. Miscellaneous Remarks:

Adequate signages displayed for information & awareness of patients and visitors.


IEC messages of different health programme given through LED display in waiting areas.

Shri Manas Kumar Khara Consultant (Health Plan) NHM, Odisha

Dr. Prameela Baral Additional Director, Public Health Directorate of Public Health, Odisha Dr. Jasmine Patnaik
Joint Secretary to Govt.
Health & FW
Department, Odisha

Photocopy Attested

Section Officer Health & FW Deptt_ Photo Gallery: CHC, Beltikri



Patinet waiting area at CHC, Beltikri



Toilet Block at CHC, Beltikri



Name of the District: Dhenkanal

Name of the Health Facility: PHC Sankarpur _

1. Date & Time of Visit: 17th August 2022 at 8:30 AM

2. Presence of Medical Staff:

Doctor	There are total 2 doctors in position and they were present as per attendance record.	
Nurses	There were no sanctioned post of Staff Nurses	
Ward Staff	LHV, ANM, Sweeper/ Attendant & Security staff were present	

3. Conditions of Facilities:

Infrastructure	Good	
Power	Power supply to all rooms including power back up facility.	
Sanitation	Cleanliness	Satisfactory & waiting area found to be clean
	Toilet facility	Available and found to be clean. Proper Signages to be put in place for toilets.
	Availability of water	Available

4. Adequacy of Stock:

Drugs	Sufficiently available	
Medicine	Sufficiently available	
Equipment	Adequate and functional	
Ambulance	108 Ambulance service available	

Section Officer Health & FW Deptt.

5. Readiness / Emergency:

Telephone	Landline not available but discussed with BSNL in this regard to provide the same on priority.
Internet	Available (wifi)

6. Accessibility:

Well connected by road

7. Miscellaneous Remarks:

The PHC being an ILR point, routine immunization session was going on. OPD foot fall was about 80 per day including Ayush OPD.

Shri Mahas Kumar Khara Consultant (Health Plan) NHM, Odisha


Dr. Prameela Baral
Additional Director, Public
Health
Directorate of Public Health,
Odisha

Dr. Jasmine Patnaik
Joint Secretary to Govt.
Health & FW
Department, Odisha


Photocopy Attested

Section Officer
Health & FW Depit

Photo Gallery: PHC, Sankarpur



Patingt waiting area at PHC, Sankarpur



Toilet Block at PHC, Sankarpur

Section Officer
Health & FW Deptt.

•

Name of the District: Dhenkanal

Name of the Health-Facility: PHC Dhirapatna

1. Date & Time of Visit: 17th August 2022 at 9:45 AM

2. Presence of Medical Staff:

Doctor	There are total 2 doctors in position and they were present as per attendance record.
Nurses	There was one Staff Nurse in position and another Staff Nurse transferred as CHO
Ward Staff	Two ANMs, 2 sweepers and One Security personnel were present.

3. Conditions of Facilities:

Infrastructure	Good Additional complex available for conducting delivery.	
Power	Power supply to all rooms including power back up facility.	
Sanitation	Cleanliness	Satisfactory & waiting area found to be clean
	Toilet facility	Available and found to be clean.
	Availability of water	24x7 water supply available

4. Adequacy of Stock:

Drugs	Sufficiently available	
Medicine	Sufficiently available	·
Equipment	Adequate and functional	
Ambulance	108 Ambulance service available	•

Photocopy Attestan

Section Officer Health & FW Deptt. 5. Readiness / Emergency:

Telephone	Landline not available but discussed with BSNL in this regard to provide the same on priority.
Internet	Available (wifi)

Accessibility:Well connected by road

7. Miscellaneous Remarks:

OPD foot fall was about 80 per day including Ayush OPD. Deliveries are being conducted at the facility

Shri Manas Kumar Khara Consultant (Health Plan) NHM, Odisha

Dr. Prameela Baral
Additional Director, Public
Health
Directorate of Public Health,
Odisha

Dr. Jashdine Patnaik Joint Secretary to Govt. Health & FW Department, Odisha

Photocony Attacted

(h) Section Officer Health & FW Depit.

Photo Gallery: PHC, Dhirapatna



Patinet waiting area at PHC, Dhirapatna



Tollet Block at PHC, Dhirapatna



Toilet Block at PHC, Dhirapatna

1081